



S3-Guideline

Epidural Neurostimulation for the treatment of chronic pain

AWMF Nr. 041/002

In a Cooperation of the:

Deutsche Gesellschaft für Anästhesiologie und
Intensivmedizin
Deutsche Gesellschaft für Kardiologie
Deutsche Gesellschaft für Neurochirurgie
Deutsche Gesellschaft für Neuromodulation
Deutsche Gesellschaft für Neurologie
Deutsche Gesellschaft für Psychologische Schmerztherapie
und Forschung
Deutsche Gesellschaft zum Studium des Schmerzes
Deutsche Gesellschaft für Schmerztherapie

with assistance of:

Deutsche Interdisziplinäre Vereinigung für
Schmerztherapie
Berufsverband Deutscher Schmerztherapeuten
European Federation of Neurological Societies

The level of evidence was graded A, B and O,
according to the criteria of the Center of Evidence
based Medicine, Oxford 2001.

Level A was quoted „strong recommendation“,
Level B meant a „recommendation“, and
Level O meant „recommendation is possible“.

The Guideline is registered in the „AWMF-Leitlinien-
Register“ under Nr. 041/002. The guideline is
presented as Level 3+IDA, which is the highest level
of authority for guidelines in Germany. A new
appreciation of this guideline is planned for 2012.

Recommendation Level

- | | |
|-------------|--|
| A | conventionally untreatable angina pectoris
peripheral vascular disease |
| B | FBSS
(Failed Back Surgery Syndrome)

CRPS Type 1
(Complex Regional Pain Syndrome, M. Sudeck) |
| Open | CRPS Type 2 (Causalgia)
Low Back Pain |

www.awmf.org/leitlinien/detail/II/041-002.html

www.dgnm-online.de

DGNM
Allee 38
74072 Heilbronn
info@dgnm-online.de